

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A polymerizable composition ~~obtainable via:~~
prepared by a process, which comprises:

a) ~~reaction of~~ reacting in a medium

A) from 0.5 to 5 parts by weight of at least one silicon compound of the formula (I):



where each R^1 , independently of the others, is an alkenyl or cycloalkenyl radical having from 2 to 12 carbon atoms and optionally having one or more ester groups,

each R^2 , independently of the others, is an alkyl or cycloalkyl radical having from 1 to 12 carbon atoms,

each X, independently of the others, is a halogen atom or an alkoxy group having from 1 to 6 carbon atoms,

m is a whole number greater than or equal to 1,

n is a whole number from 1 to 2^*m+1 ,

o is a whole number from 0 to 2^*m ,

r is a whole number from 0 to m-1,

s is a whole number from 1 to 2^*m+1 , and

where m, n, o, and s comply with the relationship (1):

$$n + o + s = 2^*m + 2 \quad (1)$$

with


B) from 0.01 to 2.0 parts by weight of water, and

C) from 0 to 4.0 parts by weight of at least one acid;

and

b) then adding to said medium

D) from 0.5 to 5 parts by weight of at least one (meth)acrylate of the formula (II)



where R^3 is a hydrogen atom or a methyl group, and R^4 is an aliphatic or cycloaliphatic radical having from 1 to 20 carbon atoms and having at least one hydroxy, thiol, primary amino, secondary amino, and/or one epoxy group,

E) from 98.99 to 55 parts by weight of at least one polymerizable ethylenically unsaturated monomer other than D),

F) from 0 to 30 parts by weight of at least one polymer and/or copolymer which is obtainable via polymerization or, respectively, copolymerization of at least one ethylenically unsaturated monomer E).

Claim 2 (Currently Amended): The composition as claimed in claim 1, ~~obtainable~~ obtained by using at least one silicon compound of the formula (Ia)



as silicon compound A).

Claim 3 (Currently Amended): The composition as claimed in claim 1, ~~obtainable~~ obtained by using a mixture comprising at least one silicon compound of the formula (Ia)



and at least one silicon compound of the formula (1b)



instead of the silicon compound A).

Claim 4 (Currently Amended): The composition as claimed in ~~at least one of the preceding claims, claim 1,~~ using at least one silicon compound of the formula (Ic)



as silicon compound A).

Claim 5 (Currently Amended): The composition as claimed in ~~at least one of the preceding claims, claim 1, obtainable~~ obtained by using γ -methacryloxypropyltriethoxysilane, γ -acryloxypropyltriethoxysilane, γ -methacryloxypropyltrimethoxysilane, γ -acryloxypropyltrimethoxysilane and/or vinyltriethoxysilane as silicon compound A).

Claim 6 (Currently Amended): The composition as claimed in claim 5, ~~obtainable~~ obtained by using γ -methacryloxypropyltriethoxysilane as silicon compound A).

Claim 7 (Currently Amended): The composition as claimed in ~~at least one of the preceding claims-claim 1 obtainable,~~ obtained by carrying out the ~~reaction~~ reacting a) at a temperature in the range from 0 to 100°C.


Claim 8 (Currently Amended): The composition as claimed in claim 1, ~~at least one of the preceding claims,~~ by carrying out the ~~reaction~~ reacting a) until a homogeneous solution is obtained.

Claim 9 (Currently Amended): The composition as claimed in claim 1, ~~at least one of the preceding claims, obtainable~~ obtained by carrying out the ~~reaction~~ reacting a) for from 15 minutes to 48 hours.

Claim 10 (Currently Amended): The composition as claimed in claim 1, ~~at least one of the preceding claims, obtainable~~ obtained by using at least one hydroxyalkyl (meth)acrylate, aminoalkyl (meth)acrylate, oxiranyl (meth)acrylate, and/or mercaptoalkyl (meth)acrylate, as (meth)acrylate D).

Claim 11 (Currently Amended): The composition as claimed in claim 11, ~~obtainable~~ obtained by using glycidyl (meth)acrylate as (meth)acrylate D).

Claim 12 (Currently Amended): The composition as claimed in claim 1, ~~at least one of the preceding claims, obtainable~~ obtained by using at least 50% by weight, based on the total amount of ethylenically unsaturated monomers E), of at least one (meth)acrylate of the formula (III) as ethylenically unsaturated monomer E)



(III)

where R³ is a hydrogen atom or a methyl group, and R⁵ is a aliphatic or cycloaliphatic radical having from 1 to 20 carbon atoms.

Claim 13 (Currently Amended): The composition as claimed in claim 12, ~~obtainable~~ obtained by using at least 50% by weight, based on the total amount of ethylenically unsaturated monomers E), of methyl methacrylate as ethylenically unsaturated monomer E).

Claim 14 (Currently Amended): The composition as claimed in claim 1, wherein at least one of the preceding claims, characterized in that at least one impact modifier is used as polymer and/or copolymer F).

Claim 15 (Currently Amended): The composition as claimed in claim 1, wherein at least one of the preceding claims, characterized in that use is made of a mixture ~~composed of~~ comprising from 0.1 to 10 parts by weight of at least one impact modifier and from 29.9 to 20 parts by weight of at least one linear or branched polymer and/or copolymer, as polymer and/or copolymer F).

Claim 16 (Currently Amended): The composition as claimed in claim 1, further comprising at least one of the preceding claims, characterized in that it also comprises from 0.01 to 5 parts by weight of at least one lipophilic free-radical polymerization initiator.

Claim 17 (Currently Amended): A polymer ~~obtainable~~ obtained via polymerization of a composition as claimed in claim 1. ~~at least one of claims 1 to 16.~~

Claim 18 (Currently Amended): A laminated glass ~~composed of~~ comprising a transparent plastics core and of two glass panes securely bonded thereto, where the plastics core is ~~obtainable~~ obtained via polymerization of the composition as claimed in claim 1. ~~at least one of claims 1 to 16.~~

Claim 19 (Currently Amended): The laminated glass as claimed in claim 18, ~~characterized in that~~ wherein the plastics core has a thickness in the range from 1 to 200 mm and the glass panes have a thickness in the range from 0.1 to 3 mm.

Claim 20 (Currently Amended): A process for producing a laminated glass as claimed in claim 18, ~~wherein and/or 19, characterized in that~~ the composition ~~as claimed in at least one of claims 1 to 16~~ is incorporated into a composite and exposed to polymerization conditions.

Claim 21 (Currently Amended): The process as claimed in claim 20, wherein ~~characterized in that~~ the composition is devolatilized prior to the polymerization process.

Claim 22 (Cancelled).

Claim 23 (New): A window, a roof window, a glass door, a conservatory, a greenhouse, a noise barrier, an aquarium, a display case, a sales counter, a security display case, a display window, and/or balcony parapets comprising the laminated glass as claimed in claim 18.

Claim 24 (New): A window, a roof window, a glass door, a conservatory, a greenhouse, a noise barrier, an aquarium, a display case, a sales counter, a security display case, a display window, and/or balcony parapets comprising the laminated glass as claimed in claim 19.